



Sports Medicine, Lameness, Reproduction and Dentistry

Telephone (740) 653-6000
 Fax (740) 653-6051
 www.crumequine.com

RISK BASED PARASITE MANAGEMENT PROGRAM

FOR NON-PREGNANT HORSES OVER 1 YEAR OF AGE

	Low Risk <200 EPG	Moderate Risk 200-500 EPG	High Risk >500 EPG	Daily Dewormer
January				Strongid C or C 2X Daily
February			Fecal Egg Count	↓
March	Fecal Egg Count	Fecal Egg Count	Possible Deworming	
April		Panacur or Strongid **		Quest or Quest Plus^
May	Zimectrin Gold or Quest^		Zimectrin Gold or Quest^	Continue Strongid C
June				
July	Fecal Egg Count	Fecal Egg Count	Fecal Egg Count	Fecal Egg Count
August		Possible Deworming	Possible Deworming	Strongid C or C 2X Daily
September				↓
October				
November	Zimectrin Gold/QuestPlus^	Zimectrin Gold/QuestPlus^	Zimectrin Gold/QuestPlus^	Quest or Quest Plus^
December				

**As long as resistance is not present on the farm

^Extreme caution should be used when administering Quest or Quest Plus to foals, young and miniature horses, as overdosage may result in serious adverse reactions. Do not use in sick, debilitated or underweight animals. These products should not be used in other animal species, as severe reactions, including fatalities in dogs, may result.

**As long as resistance is not present on the farm

^Extreme caution should be used when administering Quest or Quest Plus to foals, young and miniature horses, as overdosage may result in serious adverse reactions. Do not use in sick, debilitated or underweight animals. These products should not be used in other animal species, as severe reactions, including fatalities in dogs, may result.